



TocTec

WIRELESS TALLY SYSTEM

Tec-Tally | TTally433 | TTally4G

Support your multi-camera workflow with **local** and **remote** Tally signals.

Distance is No Limit

Wireless Tally System for Local & Remote Production



The all-scenario Tally display system combines the 433MHz frequency band with full-network 4G connectivity, meeting the needs of both local live broadcasts and remote live productions, as well as hybrid setups combining local and remote production.

It greatly facilitates PGM and PVW signal display for marathons, cultural tourism events, remote production, and more.



Broad Compatibility



Connect instantly to all major switchers using contact, TTL/CMOS or IP signals.



Top Sunshade Design



Clearibility under strong sunlight.

Stay visible outdoors with the top sunshade that blocks glare in bright sunlight.



Multi-Channel Display

 — 12 Unlimited

Monitor multiple cameras at a glance with a 12 channels on hardware or unlimited channels on software switchers.



Network Customization




IP settings

Set IP addresses on screen to match BMD or vMix switchers quickly and intuitively.



Why Special?



Applications - Where Tally Has No Limits



Local Studio & OB Vans
433MHz: Ultra-Low Latency



Remote Sports & Marathons
4G: Unlimited Range & Coverage



Hybrid Cross-location Events
Dual-Mode: Seamless Local/
Remote Sync

- **Ready to Go Wireless?**
Stop worrying about signal limitations. Experience the power of unlimited, dual mode Tally.
- Email us today for competitive pricing or to discuss a custom solution for your enterprise broadcast needs.
- For more info, visit www.toctec.biz

TocTec

Web: www.toctec.biz
Email: sales@toctec.net